



Issued for

Issued by

Testing Date

Brand Name : Do Vitamins

LOT: 1705093

2017-08-29

Product: PostPump

Expiration Date: 06/19

Analysis

Tested For	Methodology Used	Result	Unit	Claim
Arsenic	AOAC 993.14	0.052	ppm	NA
Arsenic	AOAC 993.14	0.041	ppm	NA
Cadmium	AOAC 993.14	<0.005	ppm	NA
Cadmium	AOAC 993.14	<0.005	ppm	NA
Lead	AOAC 993.14	<0.005	ppm	NA
Lead	AOAC 993.14	0.006	ppm	NA
Mercury	AOAC 993.14	<0.007	ppm	NA
Mercury	AOAC 993.14	<0.007	ppm	NA
Salmonella	USP 62	UTD	microgram/g	NA
Salmonella	USP 62	UTD	microgram/g	NA
Staphylococcus aureus	USP 62	UTD	microgram/g	NA
Staphylococcus aureus	USP 62	UTD	microgram/g	NA
Total Aerobic Microbial Count	USP 62	<1,000	CFU/g	NA
Total Aerobic Microbial Count	USP 62	<1,000	CFU/g	NA
Moulds	USP 62	<10.0	CFU/g	NA
Moulds	USP 62	<10.0	CFU/g	NA
Yeast	USP 62	<10.0	CFU/g	NA
Yeast	USP 62	<10.0	CFU/g	NA
Yeast and Molds	USP 62	<10.0	CFU/g	NA
Yeast and Molds	USP 62	<10.0	CFU/g	NA
Escherichia Coli	USP 62	UTD	microgram/g	NA
Escherichia Coli	USP 62	UTD	microgram/g	NA

Report

Conclusions	Release Date	Released By	Signature	Authorized By	Signature
PASS	2017-08-29	RD		NT	