



449 Forbes Boulevard
South San Francisco, CA • 94080
[address](#)
415.549.7339
[phone](#)
[labdoor.com](#)
[site](#)

SAMPLE	
Manufacturer Name	MyProtein
Product Name	Impact Whey Protein
Product LOT	U733243497
Project ID	000021-004-001
Expiration Date	Aug 2019
Sample Received	08 Jan 2018

ANALYSIS					
Tested For	Methodology	Unit	Result	Labdoor Limit	Pass/Fail
Arsenic	AOAC 993.14	mcg/serving	<0.225	10	Pass
Cadmium	AOAC 993.14	mcg/serving	<0.225	4.1	Pass
Lead	AOAC 993.14	mcg/serving	0.475	15	Pass
Mercury	AOAC 993.14	mcg/serving	<0.225	0.3	Pass
Yeast and Mold	USP Chapter 61	cfu/g	<10	100	Pass
Salmonella	USP Chapter 62	in 10g	Not Detected	Not Detected	Pass
Staphylococcus aureus	USP Chapter 62	in 10g	Not Detected	Not Detected	Pass
E. Coli	USP Chapter 62	in 10g	Not Detected	Not Detected	Pass

RELEASE DATE	RELEASED BY	SIGNATURE
23 Oct 2018	RD	