



Product Details

Testing Date

Company Name : Healthy Directions

LOT: 051650A

2017-03-14

Product: Dr. Williams Probiotic Advantage Oral Sinus

Expiration Date: 11/17

Analysis

| Tested For | Methodology Used | Result | Unit | Claim |
|--------------------------|------------------|--------|------|-------|
| 1-androstenediol | LCMS | <10 | ng/g | NA |
| 1-androstenedione | LCMS | <10 | ng/g | NA |
| 1-testosterone | LCMS | <10 | ng/g | NA |
| 19-norandrostenediol | LCMS | <10 | ng/g | NA |
| 19-norandrostenedione | LCMS | <10 | ng/g | NA |
| 4-hydroxytestosterone | LCMS | <10 | ng/g | NA |
| 7-keto-DHEA | LCMS | <10 | ng/g | NA |
| albuterol | LCMS | <10 | ng/g | NA |
| andarine | LCMS | <10 | ng/g | NA |
| androstenediol | LCMS | <10 | ng/g | NA |
| androstenedione | LCMS | <10 | ng/g | NA |
| bolandiol | LCMS | <10 | ng/g | NA |
| bolasterone | LCMS | <10 | ng/g | NA |
| boldenone | LCMS | <10 | ng/g | NA |
| boldione | LCMS | <10 | ng/g | NA |
| brombuterol | LCMS | <10 | ng/g | NA |
| calusterone | LCMS | <10 | ng/g | NA |
| clenbuterol | LCMS | <10 | ng/g | NA |
| clostebol | LCMS | <10 | ng/g | NA |
| danazol | LCMS | <10 | ng/g | NA |
| dehydroepiandrosterone | LCMS | <10 | ng/g | NA |
| desoxymethyltestosterone | LCMS | <10 | ng/g | NA |
| dihydrotestosterone | LCMS | <10 | ng/g | NA |

| | | | | |
|-----------------------|------|-----|------|----|
| drostanolone | LCMS | <10 | ng/g | NA |
| ethylestrenol | LCMS | <10 | ng/g | NA |
| fluoxymesterone | LCMS | <10 | ng/g | NA |
| formebolone | LCMS | <10 | ng/g | NA |
| furazabol | LCMS | <10 | ng/g | NA |
| gestrinone | LCMS | <10 | ng/g | NA |
| ibutamorin | LCMS | <10 | ng/g | NA |
| mephedrone | LCMS | <10 | ng/g | NA |
| mestanolone | LCMS | <10 | ng/g | NA |
| mesterolone | LCMS | <10 | ng/g | NA |
| metandienone | LCMS | <10 | ng/g | NA |
| metenolone | LCMS | <10 | ng/g | NA |
| methandriol | LCMS | <10 | ng/g | NA |
| methasterone | LCMS | <10 | ng/g | NA |
| methedrone | LCMS | <10 | ng/g | NA |
| methyl-1-testosterone | LCMS | <10 | ng/g | NA |
| methyldienolone | LCMS | <10 | ng/g | NA |
| methylnortestosterone | LCMS | <10 | ng/g | NA |
| methyltestosterone | LCMS | <10 | ng/g | NA |
| metribolone | LCMS | <10 | ng/g | NA |
| mibolerone | LCMS | <10 | ng/g | NA |
| nandrolone | LCMS | <10 | ng/g | NA |
| norboletone | LCMS | <10 | ng/g | NA |
| norclostebol | LCMS | <10 | ng/g | NA |
| norethandrolone | LCMS | <10 | ng/g | NA |
| oral turinabol | LCMS | <10 | ng/g | NA |
| ostarine | LCMS | <10 | ng/g | NA |
| oxabolone | LCMS | <10 | ng/g | NA |
| oxandrolone | LCMS | <10 | ng/g | NA |
| oxymesterone | LCMS | <10 | ng/g | NA |
| oxymetholone | LCMS | <10 | ng/g | NA |

| | | | | |
|-----------------------------------|------|-----|------|----|
| prostanazol | LCMS | <10 | ng/g | NA |
| quinbolone | LCMS | <10 | ng/g | NA |
| stanozolol | LCMS | <10 | ng/g | NA |
| stenbolone | LCMS | <10 | ng/g | NA |
| testosterone | LCMS | <10 | ng/g | NA |
| tetrahydrogestrinone | LCMS | <10 | ng/g | NA |
| tibolone | LCMS | <10 | ng/g | NA |
| trenbolone | LCMS | <10 | ng/g | NA |
| zeronal | LCMS | <10 | ng/g | NA |
| zilpaterol | LCMS | <10 | ng/g | NA |
| 6-oxo(4-androstene-3,6,17-trione) | LCMS | <10 | ng/g | NA |
| acadesine | LCMS | <10 | ng/g | NA |
| aminoglutethimide | LCMS | <10 | ng/g | NA |
| anastrozole | LCMS | <10 | ng/g | NA |
| androstatrienedione | LCMS | <10 | ng/g | NA |
| arimistane | LCMS | <10 | ng/g | NA |
| clomiphene | LCMS | <10 | ng/g | NA |
| cyclofenil | LCMS | <10 | ng/g | NA |
| exemestane | LCMS | <10 | ng/g | NA |
| formestane | LCMS | <10 | ng/g | NA |
| fulvestrant | LCMS | <10 | ng/g | NA |
| letrozole | LCMS | <10 | ng/g | NA |
| meldonium | LCMS | <10 | ng/g | NA |
| raloxifene | LCMS | <10 | ng/g | NA |
| tamoxifen | LCMS | <10 | ng/g | NA |
| testolactone | LCMS | <10 | ng/g | NA |
| toremifene | LCMS | <10 | ng/g | NA |
| trimetazidine | LCMS | <10 | ng/g | NA |
| alclometasone | LCMS | <10 | ng/g | NA |
| aldosterone | LCMS | <10 | ng/g | NA |
| amcinonide | LCMS | <10 | ng/g | NA |

| | | | | |
|------------------|------|-----|------|----|
| beclometosone | LCMS | <10 | ng/g | NA |
| betamethasone | LCMS | <10 | ng/g | NA |
| budesonide | LCMS | <10 | ng/g | NA |
| chloroprednisone | LCMS | <10 | ng/g | NA |
| ciclesonide | LCMS | <10 | ng/g | NA |
| clobetasol | LCMS | <10 | ng/g | NA |
| clobetasone | LCMS | <10 | ng/g | NA |
| clocortolone | LCMS | <10 | ng/g | NA |
| cloprednol | LCMS | <10 | ng/g | NA |
| deflazacort | LCMS | <10 | ng/g | NA |
| desonide | LCMS | <10 | ng/g | NA |
| desoxymetasone | LCMS | <10 | ng/g | NA |
| dexamethazone | LCMS | <10 | ng/g | NA |
| diflorazone | LCMS | <10 | ng/g | NA |
| difluocortolone | LCMS | <10 | ng/g | NA |
| difluprednate | LCMS | <10 | ng/g | NA |
| fluclorolone | LCMS | <10 | ng/g | NA |
| fludrocortisone | LCMS | <10 | ng/g | NA |
| fludroxycortide | LCMS | <10 | ng/g | NA |
| flumetasone | LCMS | <10 | ng/g | NA |
| flunisolide | LCMS | <10 | ng/g | NA |
| fluocinonide | LCMS | <10 | ng/g | NA |
| fluocortin | LCMS | <10 | ng/g | NA |
| fluocortolone | LCMS | <10 | ng/g | NA |
| fluorometholone | LCMS | <10 | ng/g | NA |
| fluperolone | LCMS | <10 | ng/g | NA |
| fluprednidene | LCMS | <10 | ng/g | NA |
| fluprednisolone | LCMS | <10 | ng/g | NA |
| fluandrenolide | LCMS | <10 | ng/g | NA |
| fluticasone | LCMS | <10 | ng/g | NA |
| formocortal | LCMS | <10 | ng/g | NA |

| | | | | |
|--------------------|------|-----|------|----|
| halcinonide | LCMS | <10 | ng/g | NA |
| halometasone | LCMS | <10 | ng/g | NA |
| loteprednol | LCMS | <10 | ng/g | NA |
| meprednisone | LCMS | <10 | ng/g | NA |
| methylprednisolone | LCMS | <10 | ng/g | NA |
| mometasone | LCMS | <10 | ng/g | NA |
| paramethasone | LCMS | <10 | ng/g | NA |
| prednicarbate | LCMS | <10 | ng/g | NA |
| prednisolone | LCMS | <10 | ng/g | NA |
| prednisone | LCMS | <10 | ng/g | NA |
| prednylidene | LCMS | <10 | ng/g | NA |
| rimexolone | LCMS | <10 | ng/g | NA |
| tixocortol | LCMS | <10 | ng/g | NA |
| triamcinolone | LCMS | <10 | ng/g | NA |
| ulobetasol | LCMS | <10 | ng/g | NA |
| arformoterol | LCMS | <10 | ng/g | NA |
| bambuterol | LCMS | <10 | ng/g | NA |
| bitolterol | LCMS | <10 | ng/g | NA |
| fenoterol | LCMS | <10 | ng/g | NA |
| formoterol | LCMS | <10 | ng/g | NA |
| higenamine | LCMS | <10 | ng/g | NA |
| indacaterol | LCMS | <10 | ng/g | NA |
| isoprenaline | LCMS | <10 | ng/g | NA |
| isoxsuprine | LCMS | <10 | ng/g | NA |
| levosalbutamol | LCMS | <10 | ng/g | NA |
| metaproterenol | LCMS | <10 | ng/g | NA |
| olodaterol | LCMS | <10 | ng/g | NA |
| orciprenaline | LCMS | <10 | ng/g | NA |
| pirbuterol | LCMS | <10 | ng/g | NA |
| procaterol | LCMS | <10 | ng/g | NA |
| ractopamine | LCMS | <10 | ng/g | NA |

| | | | | |
|--------------------------------------|------|-----|------|----|
| reproterol | LCMS | <10 | ng/g | NA |
| ritodrine | LCMS | <10 | ng/g | NA |
| salbutamol | LCMS | <10 | ng/g | NA |
| salmeterol | LCMS | <10 | ng/g | NA |
| terbutaline | LCMS | <10 | ng/g | NA |
| vilanterol | LCMS | <10 | ng/g | NA |
| 2,5-dimethoxy-4-bromopheneethylamine | LCMS | <10 | ng/g | NA |
| alpha-pyrrolidinovalerophenone | LCMS | <10 | ng/g | NA |
| amfepramone | LCMS | <10 | ng/g | NA |
| amphetamine | LCMS | <10 | ng/g | NA |
| benfluorex | LCMS | <10 | ng/g | NA |
| benzphetamine | LCMS | <10 | ng/g | NA |
| benzylpiperazine | LCMS | <10 | ng/g | NA |
| bromo-DMA | LCMS | <10 | ng/g | NA |
| cathine | LCMS | <10 | ng/g | NA |
| cathinone | LCMS | <10 | ng/g | NA |
| clobenzorex | LCMS | <10 | ng/g | NA |
| d-amphetamine | LCMS | <10 | ng/g | NA |
| d-methamphetamine | LCMS | <10 | ng/g | NA |
| dimethylamphetamine | LCMS | <10 | ng/g | NA |
| dimethylbutylamine | LCMS | <10 | ng/g | NA |
| ephedrine | LCMS | <10 | ng/g | NA |
| epinephrine | LCMS | <10 | ng/g | NA |
| etamivan | LCMS | <10 | ng/g | NA |
| etilamfetamine | LCMS | <10 | ng/g | NA |
| etilefrine | LCMS | <10 | ng/g | NA |
| famprofazone | LCMS | <10 | ng/g | NA |
| fenbutrazate | LCMS | <10 | ng/g | NA |
| fencamfamin | LCMS | <10 | ng/g | NA |
| fenfluramine | LCMS | <10 | ng/g | NA |

| | | | | |
|-------------------|------|-----|------|----|
| fenproporex | LCMS | <10 | ng/g | NA |
| flephedrone | LCMS | <10 | ng/g | NA |
| heptaminol | LCMS | <10 | ng/g | NA |
| hydroxyamfetamine | LCMS | <10 | ng/g | NA |
| isometheptene | LCMS | <10 | ng/g | NA |
| levmetamfetamine | LCMS | <10 | ng/g | NA |
| mazindol | LCMS | <10 | ng/g | NA |
| MBDB | LCMS | <10 | ng/g | NA |
| MDA | LCMS | <10 | ng/g | NA |
| MDEA | LCMS | <10 | ng/g | NA |
| MDMA | LCMS | <10 | ng/g | NA |
| MDPV | LCMS | <10 | ng/g | NA |
| meclofenoxate | LCMS | <10 | ng/g | NA |
| mefenorex | LCMS | <10 | ng/g | NA |
| mephedrone | LCMS | <10 | ng/g | NA |
| mephentermine | LCMS | <10 | ng/g | NA |
| methylephedrine | LCMS | <10 | ng/g | NA |
| methylhexaneamine | LCMS | <10 | ng/g | NA |
| methylone | LCMS | <10 | ng/g | NA |
| methylphenidate | LCMS | <10 | ng/g | NA |
| modafinil | LCMS | <10 | ng/g | NA |
| nikethamide | LCMS | <10 | ng/g | NA |
| norfenefrine | LCMS | <10 | ng/g | NA |
| norfenfluramine | LCMS | <10 | ng/g | NA |
| octopamine | LCMS | <10 | ng/g | NA |
| oxethazine | LCMS | <10 | ng/g | NA |
| oxilofrine | LCMS | <10 | ng/g | NA |
| pemoline | LCMS | <10 | ng/g | NA |
| pentetrazol | LCMS | <10 | ng/g | NA |
| phendimetrazine | LCMS | <10 | ng/g | NA |
| phenethylamine | LCMS | <10 | ng/g | NA |

| | | | | |
|------------------------------|------|-----|------|----|
| phenmetrazine | LCMS | <10 | ng/g | NA |
| phenpromethamine | LCMS | <10 | ng/g | NA |
| phentermine | LCMS | <10 | ng/g | NA |
| phenylpiracetam | LCMS | <10 | ng/g | NA |
| pholedrine | LCMS | <10 | ng/g | NA |
| PMA | LCMS | <10 | ng/g | NA |
| PMMA | LCMS | <10 | ng/g | NA |
| prenylamine | LCMS | <10 | ng/g | NA |
| prolintane | LCMS | <10 | ng/g | NA |
| propylhexedrine | LCMS | <10 | ng/g | NA |
| pseudoephedrine | LCMS | <10 | ng/g | NA |
| selegiline | LCMS | <10 | ng/g | NA |
| sibutramine | LCMS | <10 | ng/g | NA |
| strychnine | LCMS | <10 | ng/g | NA |
| tenamfetamine | LCMS | <10 | ng/g | NA |
| tuaminoheptane | LCMS | <10 | ng/g | NA |
| andranil | LCMS | <10 | ng/g | NA |
| alfentanil | LCMS | <10 | ng/g | NA |
| amiphenazole | LCMS | <10 | ng/g | NA |
| amphetaminil | LCMS | <10 | ng/g | NA |
| benfluorex | LCMS | <10 | ng/g | NA |
| benzylpiperazine | LCMS | <10 | ng/g | NA |
| bromantan | LCMS | <10 | ng/g | NA |
| butrenorphine | LCMS | <10 | ng/g | NA |
| butyfentanyl | LCMS | <10 | ng/g | NA |
| carfentanil | LCMS | <10 | ng/g | NA |
| clobenzorex | LCMS | <10 | ng/g | NA |
| cocaine | LCMS | <10 | ng/g | NA |
| cropropamide | LCMS | <10 | ng/g | NA |
| crotetamide | LCMS | <10 | ng/g | NA |
| delta-9-tetrahydrocannabinol | LCMS | <10 | ng/g | NA |

| | | | | |
|----------------------|------|-----|------|----|
| dextromoramide | LCMS | <10 | ng/g | NA |
| diamorphine (heroin) | LCMS | <10 | ng/g | NA |
| fencamine | LCMS | <10 | ng/g | NA |
| fenetylline | LCMS | <10 | ng/g | NA |
| fenfluramine | LCMS | <10 | ng/g | NA |
| fenproporex | LCMS | <10 | ng/g | NA |
| fentanyl | LCMS | <10 | ng/g | NA |
| fonturacetam | LCMS | <10 | ng/g | NA |
| furfenorex | LCMS | <10 | ng/g | NA |
| hydromorphone | LCMS | <10 | ng/g | NA |
| lofentanil | LCMS | <10 | ng/g | NA |
| mefenorex | LCMS | <10 | ng/g | NA |
| mephentermine | LCMS | <10 | ng/g | NA |
| mesocarb | LCMS | <10 | ng/g | NA |
| methadone | LCMS | <10 | ng/g | NA |
| morphine | LCMS | <10 | ng/g | NA |
| oxycodone | LCMS | <10 | ng/g | NA |
| oxymorphone | LCMS | <10 | ng/g | NA |
| p-methylamphetamine | LCMS | <10 | ng/g | NA |
| pentazocine | LCMS | <10 | ng/g | NA |
| pethidine | LCMS | <10 | ng/g | NA |
| remifentanil | LCMS | <10 | ng/g | NA |
| sufentanil | LCMS | <10 | ng/g | NA |
| thiofentanyl | LCMS | <10 | ng/g | NA |
| acetazolamide | LCMS | <10 | ng/g | NA |
| amiloride | LCMS | <10 | ng/g | NA |
| bendroflumethiazide | LCMS | <10 | ng/g | NA |
| benzthiazide | LCMS | <10 | ng/g | NA |
| bumetanide | LCMS | <10 | ng/g | NA |
| canrenone | LCMS | <10 | ng/g | NA |
| chlorothiazide | LCMS | <10 | ng/g | NA |

| | | | | |
|---------------------|------|-----|------|----|
| chlortalidone | LCMS | <10 | ng/g | NA |
| clopamide | LCMS | <10 | ng/g | NA |
| cyclothiazide | LCMS | <10 | ng/g | NA |
| desmopressin | LCMS | <10 | ng/g | NA |
| etacrynic acid | LCMS | <10 | ng/g | NA |
| flumethiazide | LCMS | <10 | ng/g | NA |
| furosemide | LCMS | <10 | ng/g | NA |
| hydrochlorothiazide | LCMS | <10 | ng/g | NA |
| hydroflumethiazide | LCMS | <10 | ng/g | NA |
| indapamide | LCMS | <10 | ng/g | NA |
| methylclothiazide | LCMS | <10 | ng/g | NA |
| metolazone | LCMS | <10 | ng/g | NA |
| piretanide | LCMS | <10 | ng/g | NA |
| polythiazide | LCMS | <10 | ng/g | NA |
| probenecid | LCMS | <10 | ng/g | NA |
| quinethazone | LCMS | <10 | ng/g | NA |
| spironolactone | LCMS | <10 | ng/g | NA |
| tolvaptan | LCMS | <10 | ng/g | NA |
| torseamide | LCMS | <10 | ng/g | NA |
| triamterene | LCMS | <10 | ng/g | NA |
| trichlormethiazide | LCMS | <10 | ng/g | NA |
| acebutolol | LCMS | <10 | ng/g | NA |
| alpreolol | LCMS | <10 | ng/g | NA |
| atenolol | LCMS | <10 | ng/g | NA |
| betaxolol | LCMS | <10 | ng/g | NA |
| bisoprolol | LCMS | <10 | ng/g | NA |
| bunolol | LCMS | <10 | ng/g | NA |
| carteolol | LCMS | <10 | ng/g | NA |
| carvedilol | LCMS | <10 | ng/g | NA |
| celiprolol | LCMS | <10 | ng/g | NA |
| esmolol | LCMS | <10 | ng/g | NA |

| | | | | |
|--------------|------|-----|------|----|
| labetalol | LCMS | <10 | ng/g | NA |
| levobunolol | LCMS | <10 | ng/g | NA |
| metipranolol | LCMS | <10 | ng/g | NA |
| metoprolol | LCMS | <10 | ng/g | NA |
| nadolol | LCMS | <10 | ng/g | NA |
| oxprenolol | LCMS | <10 | ng/g | NA |
| pindolol | LCMS | <10 | ng/g | NA |
| propranolol | LCMS | <10 | ng/g | NA |
| sotalol | LCMS | <10 | ng/g | NA |
| timolol | LCMS | <10 | ng/g | NA |

Report

| Conclusions | Release Date | Released By | Signature | Authorized By | Signature |
|-------------|--------------|-------------|---|---------------|---|
| PASS | 2017-03-14 | RD |  | NT |  |